



Certificate of Analysis

R&D

Client Information:

Encore Life, LLC
805 W New Orleans St
Broken Arrow, Oklahoma 74011

Batch # 241209-02
Batch Date: 2024-12-09
Extracted From: Hemp

Test Reg State: Colorado

Order # ENC241209-030002
Order Date: 2024-12-09
Sample # AAGF100

Sampling Date: 2024-12-10
Lab Batch Date: 2024-12-10
Completion Date: 2024-12-16

Initial Gross Weight: 43.400 g



Product Image



**Potency
Tested**

Potency 10
Specimen Weight: 1509.700 mg

Tested

SOP13.001 (LCUV)



Potency Summary

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	10.000	5.40E-5	0.015	3.140	0.314
CBN	10.000	1.40E-5	0.015	0.640	0.064
Delta-9 THC	10.000	1.30E-5	0.015	0.470	0.047
CBC	10.000	1.80E-5	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	10.000			3.140	0.314
Total Active THC	10.000			0.470	0.047

Total Active THC 0.047%	Total Active CBD 0.314%
Total CBG None Detected	Total CBN 0.064%
Total Cannabinoids 0.425%	

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per CO rule 6 CCR 1010-21. Failed - Analyte/microbe is at the level that equal or above the action limit per CO rule 6 CCR 1010-21 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.